

## FIRST RE-ESTABLISHMENT

GCDB 400540

Quarter corner Sections 9 and 10, Township 35 South, Range 2 West. W.M.

Found the black oak bearing tree in Section 10. Also the laurel bearing tree in Section 9, which is dead and rotted out.

Set a sandstone monument 6 x 8 x 16 inches with cross for corner according to the call in the field notes, from which:

- A new witness tree in Section 9, a 12" black oak bears S.54°W., 44.6 feet.

**Note:** The field notes call for a 12" black oak, which is an error as the tree when blazed was not to exceed 6" in diameter, and at this date is but 12 inches in diameter.

June 11, 1914  
A.T. Brown, Deputy County Surveyor  
Fred Schapleigh, Milton Lansing, present.

SEE NEXT PAGE FOR SECOND RE-ESTABLISHMENT

## SECOND RE-ESTABLISHMENT

GCDB 400540

Quarter corner common to Section 9 and 10, Twp. 35 South, Range 2 West, W.M.  $V=20^\circ$

Found, the 1 inch G.I. pipe exposed 7 ins. with a 1½ ins. to 1 inch galvanized bell reducer filled with pot metal as set by Brice Brandt in 1969 and described in recorded survey no. 3969. The cap is stamped:

¼  
S9 | S10  
1969  
RS787

The stone is imbedded in the ground along the North side of the pipe.

BTs found as follows:

- The original BT, now a 10 ins. by 9 feet Black Oak snag with opened blazes and partial "B" scribe visible, bears  $S79^\circ E$ , 57.4 feet to the face of the lower blaze.
- A 15 ins. Black Oak with healed blazes bears  $S55\frac{1}{2}^\circ W$ , 44.8 feet to the center of tree.
- A 12 ins. Ponderosa Pine with healed blazes, bears  $S51\frac{1}{2}^\circ E$ , 33.0 feet to center. Opening of lower portion of upper blaze revealed the scribe "787".
- Immediately below the upper blaze, I blazed and scribed "CS".
- I also stamped "CS 1976" on the corner cap.

August 18, 1976  
Ed Graham  
R. Roberts

Approved by: Edward McGinty  
County Surveyor

**SEE NEXT PAGE FOR THIRD RE-ESTABLISHMENT**

**THIRD RE-ESTABLISHMENT**  
GCDB 400540

Quarter corner common to Sections 9 and 10, Township 35 South, Range 2 West, W.M.

The corner monument described on Second Re-establishment, page 39, in 1976 has been removed by person(s) unknown and is now gone. In the hole previously occupied by the former monument, set a 1x36 ins. galvanized iron pipe, with a 2½ ins. diam. bronze cap marked:

JACKSON COUNTY 1984  
T35S R2W  
9 | 10  
¼S

On the south edge of the 8x7 ins. stone found projecting 6 ins., set on First Re-establishment, page 1, in 1914 and reported on Survey No. 3969.

An original bearing tree recorded by Ives and Hyde in 1854, now:

- A down and decayed Black Oak, 12 ins. diam., with rotted out faces, the stump remains of which br. S78°40'E, 57.9 feet Record: S79°E, 57.42 feet.
- A bearing tree recorded on First Re-establishment, a Black Oak, now 15 ins. diam. with healed blazes, brs. as reported on Second Re-establishment S55°30'W, 44.8 feet.
- A bearing tree marked on Survey No. 3969, in 1969, a Ponderosa Pine, now 14 ins. diam., containing scribe marks in partially healed upper face, brs. as recorded on Second Re-establishment; S51°30'E, 33.00 feet to center of tree.

Corner lies about 500 feet S45°W of location marker on 12 ins. diam. Black Oak located alongside road.

April 24, 1984  
R. Frost  
B. Smith

Edward McGinty  
County Surveyor

V = 19½°

**SEE NEXT PAGE FOR FOURTH RE-ESTABLISHMENT**

## FOURTH RE-ESTABLISHMENT

GCDB 400540

Quarter corner common to Sections 9 and 10, Township 35 South, Range 2 West, W.M.

Found exposed 4 ins. and in a mound of stones, the 1 in. diam. galvanized iron pipe set on Third Re-establishment in 1984, with brass cap missing. Cemented in top of said pipe, a 2½ ins. diam. brass cap marked:

JACKSON COUNTY  
T35S R2W  
S9 • S10  
2002

Bearing trees recorded on Third Re-establishment in 1984, found and measured to center of trees at lower blaze:

- Black Oak, now 16 ins. diam. with healed blazes brs. record N55°30'W, 44.8 feet.
- Ponderosa Pine, now 18 ins. diam. with healed blazes brs. record S51°30'E, 33.00 feet.

Corner lies 1 feet east of east end of new fence.

June 10, 2002

H. Durkee

T. Newcomb

Roger Roberts

Jackson County Surveyor

P. -131

V. -18°