

## FIRST RE-ESTABLISHMENT

DLC45WNW

GCDB 845120

Southerly Southwest corner DLC #46 (Also WNW DLC #45), Township 38 South, Range 1 West.

Found a 6" x 5" x 16" blue sandstone for corner over 30 years. Chiseled a cross in top of said stone for corner.

From which:

- The center of an irrigation ditch bears West 2 feet.
- The center of the same ditch bears North 4 feet.
- The center of a 10" pear tree bears S66°E, 23.8 feet.
- The center of a 6" pear tree bears N22¼°W, 18.0 feet.
- The center of a 6" pear tree bears S75¼°W, 33.0 feet.
- The center of the metal top on a concrete irrigation gate bears N87½°E, 103.85 feet.

February 2, 1943

C. Z. Boyden

L. W. Pettegrew

SEE NEXT PAGE FOR SECOND RE-ESTABLISHMENT

## SECOND RE-ESTABLISHMENT

DLC45WNW

GCDB 845120

South Southwest corner to Donation Land Claim 46 identical with the West Northwest corner of Donation Land Claim No. 45, located in Section 8, Township 38 South, Range 1 West, W.M.

Found the 22x16x10-inch blue sandstone with chiseled cross on top, reported on First Re-establishment, in 1943.

To perpetuate this position:

- Replaced said stone with and deposited it alongside a 1x36-inch Galvanized iron pipe, set 6 inches below the surface of the ground, in the East bank of irrigation ditch, with yellow plastic cap marked: JACKSON County C.S.

Remaining references noted in 1943, found:

- Pear tree, 13-inch diameter at base bears S75°10'W, 32.70 feet to center of tree at base. Record: S75¼°W, 33.0 feet.
- Pear tree, 10-inch diameter at base, bears N22°25'W, 17.80 feet to center of tree at base. Record: N22¼°W, 18.0 feet.

Set new reference:

- 5/8 x 24-inch rebar with yellow plastic cap marked: JACKSON County C.S. set 2 inches deep, bears N89°54'11"E, 10.94 feet.

The (brass cap) Southeast corner of Donation Land Claim No. 46, bears N89°54'11"E, 978.19 feet.

Corner lies 3½ feet South and 2 feet East of irrigation ditch.

July 10, 1984

R. Frost

Edward McGinty

Edward McGinty

County Surveyor

SEE NEXT PAGE FOR THIRD RE-ESTABLISHMENT

**THIRD RE-ESTABLISHMENT      SPECIAL CORNER**  
**DLC45WNW**  
**GCDB 845120**

South Southwest corner to Donation Land Claim 46, identical with the West Northwest corner of Donation Land Claim No. 45, located in Section 8, Township 38 South, Range 1 West, W.M.

Pear tree reference points are gone.

Found 4" deep, 1-inch diameter galvanized iron pipe with yellow plastic cap marked "Jackson County C.S."

References reported on Second Re-establishment, dated 1984 found as follows:

- The (brass cap) Southeast corner of DLC #46, bears N89°54'11"E, 978.19 feet. (Basis of Bearing)
- A found 5/8-inch diameter rebar, 1 inch deep, with Jackson County plastic cap, bears Record: N89°54'11"E, 10.94 feet.

Set new references: 5/8 x 24-inch rebars, with Jackson County metal caps:

- S89°54'11"W, 89.73 feet, 1-inch deep
- S89°54'11"W, 31.29 feet, flush.
- N00°05'49"W, 57.85 feet, 1-inch deep.

Corner lies in orchard, 3½ feet south and 2 feet east of irrigation ditch.

April 30, 1996  
R. Frost, Tech.  
T. Newcomb, Tech.

Roger Roberts  
County Surveyor

P. -17