

FIRST RE-ESTABLISHMENT

GCDB 300700

Southwest corner of Section 33, Township 39 South, Range 3 West, W.M.

Found original Yellow Pine, bearing tree S8°W, 60.07 feet, and 6" Yellow Pine N34°W, 44.00 feet. (Notes call for 24" Yellow Pine, N4°W, 96.04 feet.)

Set post from which new bearing trees bear as follows:

- A 10" Yellow Pine, N43¾°E, 56.05 feet.
- A 10" Yellow Pine, S48½°E, 34.00 feet.

May 1, 1917
A. T. Brown,
County Surveyor

H. L. Speck, Chainman
W. R. Garrett, Chainman

SEE NEXT PAGE FOR SECOND RE-ESTABLISHMENT

SECOND RE-ESTABLISHMENT

GCDB 300700

Corner on Township Line common to Sections 32 and 33, Township 39 South, Range 3 West and Sections 4 and 5, Township 40 South, Range 3 West, W.M.

- Found a 24" Yellow Pine BT scribed 3 PSR which bears N34°W, 44.0 feet.
- Also found a 14" Yellow Pine BT scribed "S" (other part of scribe obliterated) which BT bears N42¾°E, 56.05 feet.

From which evidence set a 2" x 33" galvanized iron pipe with top 6" below the surface of the County Road for

From which:

- A 16" Yellow Pine scribed CS-BT bears S52½°E, 67.24 feet.
- The center of a 12" Black Oak (not scribed) bears S62¼°W, 231.2 feet.
- A nail in the base of the corner log at the South corner of the grange hall bears N61½°E, 92.0 feet.
- A cross in the concrete base of a gas pump island near the Southeast corner thereof bears N24°W, 57.82 feet.

September 22, 1942
C. Z. Boyden,
Deputy Surveyor

W. R. Young
H. B. Brown

SEE NEXT PAGE FOR NEXT RE-ESTABLISHMENT

THIRD RE-ESTABLISHMENT

GCDB 300700

Re-establishment of the SW corner of Sections 33, Township 39 South, Range 3 West, W.M.

Found the 2" x 23" iron pipe as set for the re-established corner, also the cross on the concrete gas pump island, also the Yellow Pine, the Southeast bearing tree and the Northeast bearing tree.

Established new reference points to permit the removal of the pine bearing trees:

- The old cross on the concrete base of the gas pump island (note a new concrete island 3 feet North of the old one) bears N24°W, 57.82 feet.
- The Northwest corner of a concrete block pump house bears S69¼°W, 100.55 feet.
- A cross on top of a 10" width concrete wall two feet East of the Northwest corner of said concrete wall, which wall is located at the North entrance to the McKee Bridge Camp Grounds bears S76½°E, 108.38 feet.
- A nail at the base of the Northwest corner log of the grange hall bears N26°E, 117.7 feet.

April 2, 1953
C. Z. Boyden
L. D. Pinkham
M. E. Boyden